according to Hazard Communication Standard; 29 CFR 1910.1200



GLADE® FABRIC & AIR - CLEAR SPRINGS®

Version 1.2 Print Date 03/04/2015

Revision Date 02/24/2015 SDS Number 350000014339

1. PRODUCT AND COMPANY IDENTIFICATION

Product information

Product name : GLADE® FABRIC & AIR - CLEAR SPRINGS®

Recommended use **Speciality Cleaner**

Manufacturer, importer,

supplier

: S.C. Johnson & Son, Inc.

1525 Howe Street

Racine WI 53403-2236

Telephone +18005585252

Emergency telephone

number

24 Hour Medical Emergency Phone: (866)231-5406 24 Hour International Emergency Phone: (703)527-3887

24 Hour Transport Emergency Phone: (800)424-9300

2. HAZARDS IDENTIFICATION

Classification of the substance or mixture

Globally Harmonized System (GHS) Classification

This product does not meet the criteria for classification in any hazard class according to regulation OSHA 29 CFR 1910.1200.

Labelling

Precautionary statements

Other hazards : None identified

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS-No.	Weight percent
Ethyl alcohol	64-17-5	5.00 - 10.00
Triethylene glycol	112-27-6	1.00 - 5.00
Didecyldimethylammonium chloride	7173-51-5	0.10 - 1.00

The specific chemical identity and/or exact percentage (concentration) of this composition has been withheld as a trade secret.

For additional information on product ingredients, see www.whatsinsidescjohnson.com.

according to Hazard Communication Standard; 29 CFR 1910.1200



GLADE® FABRIC & AIR - CLEAR SPRINGS®

Version 1.2 Print Date 03/04/2015

Revision Date 02/24/2015 SDS Number 350000014339

4. FIRST AID MEASURES

Eye contact : No special requirements

Skin contact : No special requirements

Inhalation : No special requirements.

Ingestion : No special requirements

5. FIREFIGHTING MEASURES

Suitable extinguishing

media

: Use water spray, alcohol-resistant foam, dry chemical or

carbon dioxide.

Specific hazards during

firefighting

: Container may melt and leak in heat of fire.

Further information : Fight fire with normal precautions from a reasonable distance.

Standard procedure for chemical fires. Wear full protective clothing and positive pressure self-contained breathing

apparatus.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions : Wash thoroughly after handling.

Environmental precautions

: Outside of normal use, avoid release to the environment.

Methods and materials for containment and

ioi contaminent a

cleaning up

Dike large spills.

7. HANDLING AND STORAGE

Handling

Precautions for safe

handling

: Avoid contact with skin, eyes and clothing. For personal protection see section 8.

KEEP OUT OF REACH OF CHILDREN AND PETS.

according to Hazard Communication Standard; 29 CFR 1910.1200



GLADE® FABRIC & AIR - CLEAR SPRINGS®

Version 1.2 Print Date 03/04/2015

Revision Date 02/24/2015 SDS Number 350000014339

Advice on protection

against fire and explosion

: Normal measures for preventive fire protection.

Storage

Requirements for storage areas and containers

Requirements for storage : Keep container closed when not in use.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Occupational Exposure Limits

Components	CAS-No.	mg/m3	ppm	Non- standard units	Basis
Ethyl alcohol	64-17-5	1,900 mg/m3	1,000 ppm	-	OSHA TWA
Ethyl alcohol	64-17-5	-	1,000 ppm	-	ACGIH STEL

Personal protective equipment

Respiratory protection : No special requirements.

Hand protection : No special requirements.

Eye protection : No special requirements.

Skin and body protection : No special requirements.

Hygiene measures : Handle in accordance with good industrial hygiene and safety

practice. Wash thoroughly after handling.

9. PHYSICAL AND CHEMICAL PROPERTIES

Form : liquid

Color : clear

Odor : pleasant

according to Hazard Communication Standard; 29 CFR 1910.1200



GLADE® FABRIC & AIR - CLEAR SPRINGS®

Version 1.2 Print Date 03/04/2015

Revision Date 02/24/2015 SDS Number 350000014339

Odour Threshold : No data available

рΗ : 4.0 - 6.0

Melting point/freezing point : No data available

Initial boiling point and

boiling range

: No data available

: 54 °C Flash point

129.2 °F

Evaporation rate : No data available

Flammability (solid, gas) : No data available

Upper/lower flammability or : No data available

explosive limits

Vapour pressure : No data available

Vapour density : No data available

Relative density : 0.9905 g/cm3 at 20 C

Solubility(ies) : soluble

Partition coefficient: n-

octanol/water

: No data available

Auto-ignition temperature : No data available

Decomposition temperature : No data available

according to Hazard Communication Standard; 29 CFR 1910.1200



GLADE® FABRIC & AIR - CLEAR SPRINGS®

Version 1.2 Print Date 03/04/2015

Revision Date 02/24/2015 SDS Number 350000014339

Viscosity, dynamic : No data available

Viscosity, kinematic : No data available

Oxidizing properties : No data available

Volatile Organic : 6.1 % - additional exemptions may apply

Compounds *as defined by US Federal and State Consumer Product

Total VOC (wt. %)* Regulations

Other information : None identified :

10. STABILITY AND REACTIVITY

Possibility of hazardous

reactions

: Stable under recommended storage conditions.

Conditions to avoid : Direct sources of heat.

Incompatible materials : Strong oxidizing agents

Hazardous decomposition

products

: Thermal decomposition can lead to release of irritating gases

and vapours.

11. TOXICOLOGICAL INFORMATION

Emergency Overview : This product does not meet the criteria for classification in any

hazard class according to regulation OSHA 29 CFR

1910.1200.

Acute oral toxicity : LD50

estimated > 5,000 mg/kg

Acute inhalation toxicity : LC50

estimated

according to Hazard Communication Standard; 29 CFR 1910.1200



GLADE® FABRIC & AIR - CLEAR SPRINGS®

Version 1.2 Print Date 03/04/2015

Revision Date 02/24/2015 SDS Number 350000014339

> 5.29 mg/l

Acute dermal toxicity : LD50

estimated > 5,000 mg/kg

GHS Properties	Classification	Routes of entry
Acute toxicity	No classification proposed	-
Skin corrosion/irritation	No classification proposed	-
Serious eye damage/eye irritation	No classification proposed	-
Skin sensitisation	No classification proposed	-
Respiratory sensitisation	No classification proposed	-
Germ cell mutagenicity	No classification proposed	-
Carcinogenicity	No classification proposed	-
Reproductive toxicity	No classification proposed	-
Specific target organ toxicity - single exposure	No classification proposed	-
Specific target organ toxicity - repeated exposure	No classification proposed	-
Aspiration hazard	No classification proposed	-

Aggravated Medical : None known.

Condition

12. ECOLOGICAL INFORMATION

Product : The product itself has not been tested.

Toxicity

The ingredients in this formula have been reviewed and no adverse impact to the environment is expected when used according to label directions.

according to Hazard Communication Standard; 29 CFR 1910.1200



GLADE® FABRIC & AIR - CLEAR SPRINGS®

Version 1.2 Print Date 03/04/2015

Revision Date 02/24/2015 SDS Number 350000014339

Toxicity to fish

Components	End point	Species	Value	Exposure time
Ethyl alcohol	flow- through test LC50	Pimephales promelas (fathead minnow)	14,200 mg/l	96 h
Triethylene glycol	static test LC50	Lepomis macrochirus	10,000 mg/l	96 h
Didecyldimethylammonium chloride	semi- static test LC50	Danio rerio (zebra fish)	0.49 mg/l	96 h

Toxicity to aquatic invertebrates

Components	End point	Species	Value	Exposure time
Ethyl alcohol	static test EC50	Daphnia magna (Water flea)		48 h
			2 mg/l	
	NOEC	Daphnia magna	9.6 mg/l	9 d
Triethylene glycol	static test EC50	Daphnia magna (Water flea)	> 10,000 mg/l	48 h
Didecyldimethylammonium chloride	static test EC50	Daphnia magna (Water flea)	0.029 mg/l	48 h

according to Hazard Communication Standard; 29 CFR 1910.1200



GLADE® FABRIC & AIR - CLEAR SPRINGS®

Version 1.2 Print Date 03/04/2015

Revision Date 02/24/2015 SDS Number 350000014339

NOE	Daphnia magna	0.021 mg/l 21 d	
-----	---------------	-----------------	--

Toxicity to aquatic plants

Components	End point	Species	Value	Exposure time
Ethyl alcohol	Static EC50	Chlorella vulgaris (Fresh water algae)	275 mg/l	72 h
Triethylene glycol	No data available			
Didecyldimethylammonium chloride	static test EC50 OECD Test Guideline 201	Pseudokirchneriella subcapitata (microalgae)	0.053 mg/l	96 h

Persistence and degradability

Component	Biodegradation	Exposure time	Summary
Ethyl alcohol	97 %	28 d	Readily biodegradable
Triethylene glycol	No data available		
Didecyldimethylammonium chloride	69 %	28 d	Readily biodegradable

Bioaccumulative potential

Component	Bioconcentration factor (BCF)	Partition Coefficient n- Octanol/water (log)
Ethyl alcohol	3.2 estimated	-0.35 Measured
Triethylene glycol	No data available	-1.75
Didecyldimethylammonium chloride	929.2	2.58

according to Hazard Communication Standard; 29 CFR 1910.1200



GLADE® FABRIC & AIR - CLEAR SPRINGS®

Version 1.2 Print Date 03/04/2015

Revision Date 02/24/2015 SDS Number 350000014339

Mobility

Component	End point	Value
Ethyl alcohol	No data available	
Triethylene glycol	log Koc	1
Didecyldimethylammonium chloride	Koc	667 - 24433

PBT and vPvB assessment

Component	Results
Ethyl alcohol	Not fulfilling PBT and vPvB criteria
Triethylene glycol	Not fulfilling PBT and vPvB criteria
Didecyldimethylammonium chloride	Not fulfilling PBT and vPvB criteria

Other adverse effects : None known.

13. DISPOSAL CONSIDERATIONS

Consumer may discard empty container in trash, or recycle where facilities exist.

14. TRANSPORT INFORMATION

Please refer to the Bill of Lading/receiving documents for up-to-date shipping information.

according to Hazard Communication Standard; 29 CFR 1910.1200



GLADE® FABRIC & AIR - CLEAR SPRINGS®

Version 1.2 Print Date 03/04/2015

Revision Date 02/24/2015 SDS Number 350000014339

	Land transport	Sea transport	Air transport
UN number	1993	1993	1993
UN proper shipping name	UN 1993 Flammable liquid, N.O.S. (Ethyl	UN 1993 Flammable liquid, N.O.S. (Ethyl	UN 1993 Flammable liquid, N.O.S. (Ethyl
Shipping name	alcohol)	alcohol)	alcohol)
Transport hazard	3	3	3
class(es)			
Packing group	III	III	III
Environmental	-	-	-
hazards			
Special	Limited quantities	Limited quantities	Limited quantities
precautions for	derogation may be	derogation may be	derogation may be
user	applicable to this	applicable to this	applicable to this
	product, please check	product, please	product, please check
	transport documents.	check transport documents.	transport documents.

15. REGULATORY INFORMATION

Notification status : All ingredients of this product are listed or are excluded from

listing on the U.S. Toxic Substances Control Act (TSCA)

Chemical Substance Inventory.

Notification status : All ingredients of this product comply with the New Substances

Notification requirements under the Canadian Environmental

Protection Act (CEPA).

California Prop. 65 : This product is not subject to the reporting requirements under

California's Proposition 65.

according to Hazard Communication Standard; 29 CFR 1910.1200



GLADE® FABRIC & AIR - CLEAR SPRINGS®

Version 1.2 Print Date 03/04/2015

Revision Date 02/24/2015 SDS Number 350000014339

16. OTHER INFORMATION

HMIS	Ratings
-------------	---------

niviio ratiliys		
Health	1	
Flammability	2	
Reactivity	0	

NFPA Ratings

Health	1	
Fire	2	
Reactivity	0	
Special	-	

This information is being provided in accordance with the Occupational Safety and Health Administration (OSHA) regulation (29 CFR 1910.1200). The information supplied is designed for workplaces where product use and frequency of exposure exceeds that established for the labeled consumer use.

Further information

This document has been prepared using data from sources considered to be technically reliable. It does not constitute a warranty, expressed or implied, as to the accuracy of the information contained herein. Actual conditions of use are beyond the seller's control. User is responsible to evaluate all available information when using product for any particular use and to comply with all Federal, State, Provincial and Local laws and regulations.

Prepared by	SC Johnson Global Safety Assessment &
	Regulatory Affairs (GSARA)

according to Hazard Communication Standard; 29 CFR 1910.1200



GLADE® FABRIC & AIR - CLEAR SPRINGS®

Version 1.2 Print Date 03/04/2015

Revision Date 02/24/2015 SDS Number 350000014339