



MATERIAL SAFETY DATA SHEET

1. Product and Company Identification

Identification of the preparation	CN053Series
Product use	Inkjet printing
Version #	02
Revision date	10-Mar-2013
CAS #	Mixture
Company identification	Hewlett-Packard Company 3000 Hanover Street Palo Alto, CA 94304-1185 United States Telephone 650-857-1501 Hewlett-Packard health effects line (Toll-free within the US) 1-800-457-4209 (Direct) 1-503-494-7199 HP Customer Care Line (Toll-free within the US) 1-800-474-6836 (Direct) 1-208-323-2551 Email: hpcustomer.inquiries@hp.com

2. Hazards Identification

Emergency overview	Contact with skin and eyes may result in irritation. Do not breathe Vapor.
Acute health effects	
Skin contact	Any potential hazards are presumed to be due to exposure to the components. <i>2-pyrrolidone</i> Contact with skin may result in irritation. <i>Co-Solvent</i> Contact with skin may result in irritation.
Eye contact	<i>2-pyrrolidone</i> Contact with eyes may result in irritation. <i>Co-Solvent</i> Contact with eyes may result in irritation.
Inhalation	Avoid breathing vapors or mists of this product. <i>2-pyrrolidone</i> Inhalation may result in respiratory irritation. <i>Co-Solvent</i> Inhalation may result in respiratory irritation.
Ingestion	<i>2-pyrrolidone</i> Ingestion may result in nausea, vomiting and diarrhea. <i>Co-Solvent</i> Swallowing large amounts may cause digestive discomfort.
Potential health effects	
Routes of exposure	Potential routes of exposure to this product are skin and eye contact, ingestion, and inhalation. Complete toxicity data are not available for this specific formulation
Chronic health effects	None known.
Carcinogenicity	Carbon black is classified by the IARC as a Group 2B carcinogen (the substance is possibly carcinogenic to humans). Carbon black in this preparation, due to its bound form, does not present this carcinogenic risk. None of the other ingredients in this preparation are classified as carcinogens according to ACGIH, EU, IARC, MAK, NTP or OSHA.

3. Composition / Information on Ingredients

Components	CAS #	Percent
2-pyrrolidone	616-45-5	< 15
Carbon Black Colorant	1333-86-4	< 5
Co-Solvent	Proprietary	< 10
Water	7732-18-5	> 70

Composition comments

This ink supply contains an aqueous ink formulation.
This product has been evaluated using criteria specified in 29 CFR 1910.1200 (Hazard Communication Standard).

Carbon black is present only in a bound form in this preparation.

4. First Aid Measures

First aid procedures

Eye contact

Do not rub eyes. Immediately flush with large amounts of clean, warm water (low pressure) for at least 15 minutes or until particles are removed. If irritation persists get medical attention.

Skin contact

Wash affected areas thoroughly with mild soap and water. Get medical attention if irritation develops or persists.

Inhalation

Remove to fresh air. If symptoms persist, get medical attention.

Ingestion

If ingestion of a large amount does occur, seek medical attention.

General advice

No additional information

5. Fire Fighting Measures

Flammable properties

None known.

Extinguishing media

Suitable extinguishing media

For small (incipient) fires, use media such as foam, sand, dry chemical, or carbon dioxide.
For large fires use very large (flooding) quantities of water and/or foam, applied as a mist or spray.

Unsuitable extinguishing media

None known.

Specific methods

None established.

Hazardous combustion products

Refer to section 10.

6. Accidental Release Measures

Personal precautions

Wear appropriate personal protective equipment.

Environmental precautions

Do not let product enter drains. Do not flush into surface water or sanitary sewer system.

Methods for containment

Dike the spilled material, where this is possible. Absorb with inert absorbent such as dry clay, sand or diatomaceous earth, commercial sorbents, or recover using pumps.

Methods for cleaning up

Soak up with inert absorbent material.

Other information

Soak up with inert absorbent material. Slowly vacuum or sweep the material into a bag or other sealed container. Dispose of in compliance with federal, state, and local regulations. See also section 13 Disposal considerations.

7. Handling and Storage

Handling

Avoid contact with skin, eyes and clothing.

Storage

Keep out of the reach of children. Keep away from excessive heat or cold.

8. Exposure Controls / Personal Protection

Occupational exposure limits

ACGIH

Components

Type

Value

Form

Carbon Black Colorant (1333-86-4)

TWA

3.0000 mg/m3

Inhalable fraction.

Carbon Black Colorant (1333-86-4)

TWA

3.5000 mg/m3

Exposure guidelines

Exposure limits have not been established for this product.

Engineering controls

Use in a well ventilated area.

Personal protective equipment**General hygiene considerations**

Handle in accordance with good industrial hygiene and safety practice.

General

Use personal protective equipment to minimize exposure to skin and eye.

9. Physical & Chemical Properties**Appearance**

Not available.

Color

Black.

Odor

Not available.

Odor threshold

Not available.

Physical state

Liquid

Form

Not available.

pH

7.5

Melting point

Not available.

Freezing point

Not available.

Boiling point

Not available.

Flash point

> 230 °F (> 110 °C) Pensky-Martens Closed Cup

Evaporation rate

Not available.

Flammability limits in air, upper, % by volume

Not available.

Flammability limits in air, lower, % by volume

Not available.

Vapor pressure

Not available.

Vapor density

Not available.

Specific gravity

Not available.

Relative density

Not available.

Solubility (water)

Not available.

Auto-ignition temperature

Not available.

Decomposition temperature

Not available.

VOC

< 229 g/L

Other information

For other VOC regulatory data/information see section 15.

10. Chemical Stability & Reactivity Information**Chemical stability**

Stable under recommended storage conditions.

Incompatible materials

Incompatible with strong bases and oxidizing agents.

Hazardous decomposition products

Upon decomposition, this product may yield gaseous nitrogen oxides, carbon monoxide, carbon dioxide and/or low molecular weight hydrocarbons.

Possibility of hazardous reactions

Will not occur.

11. Toxicological Information**Carcinogenicity**

Carbon black is classified as a carcinogen by the IARC (possibly carcinogenic to humans, Group 2B) and by the State of California under Proposition 65. In their evaluations of carbon black, both organizations indicate that exposure to carbon black, per se, does not occur when it remains bound within a product matrix, specifically, rubber, ink, or paint.

ACGIH Carcinogens

Carbon Black Colorant (CAS 1333-86-4)

A3 Confirmed animal carcinogen with unknown relevance to humans.

IARC Monographs. Overall Evaluation of Carcinogenicity

Carbon Black Colorant (CAS 1333-86-4)

2B Possibly carcinogenic to humans.

IARC Monographs: Evidence of carcinogenicity in humans

Carbon Black Colorant (CAS 1333-86-4)

Inadequate data.

Acute toxicity

No information available.

Serious eye damage/eye irritation

Not available.

Symptoms and target organs**Target Organs (NIOSH)**

Carbon Black Colorant (CAS 1333-86-4)

Eyes

Respiratory system

Further information

This ink formulation has not been tested for toxicological effects.
Refer to Section 2 for potential health effects and Section 4 for first aid measures.

12. Ecological Information**Ecotoxicity**

This product has not been tested for ecological effects.

Aquatic toxicity

This product has not been tested for ecological effects.

Persistence and degradability

Not available.

13. Disposal Considerations**Disposal instructions**

Do not allow this material to drain into sewers/water supplies.
Dispose of waste material according to Local, State, Federal, and Provincial Environmental Regulations.
HP's Planet Partners (trademark) supplies recycling program enables simple, convenient recycling of HP original inkjet and LaserJet supplies. For more information and to determine if this service is available in your location, please visit <http://www.hp.com/recycle>.

14. Transport Information**Further information**

Not a dangerous good under DOT, IATA, ADR, IMDG, or RID.

DOT

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

RID

Not regulated as dangerous goods.

15. Regulatory Information**US federal regulations**

US TSCA 12(b): Does not contain listed chemicals.

DEA Exempt Chemical Mixtures Code Number

Not regulated.

Drug Enforcement Administration (DEA). List 1 & 2 Exempt Chemical Mixtures (21 CFR 1310.12(c))

Not regulated.

Drug Enforcement Administration (DEA). List 2, Essential Chemicals (21 CFR 1310.02(b) and 1310.04(f)(2) and Chemical Code Number

Not listed.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA (Superfund) reportable quantity

None

Occupational Safety and Health Administration (OSHA)**29 CFR 1910.1200
hazardous chemical**

No

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories Immediate Hazard - No
Delayed Hazard - No
Fire Hazard - No
Pressure Hazard - No
Reactivity Hazard - No

Section 302 extremely hazardous substance No

Section 311 hazardous chemical No

State regulations

US - California Proposition 65 - CRT: Listed date/Carcinogenic substance

Carbon Black Colorant (CAS 1333-86-4) Listed: February 21, 2003 Carcinogenic.

US - New Jersey RTK - Substances: Listed substance

Carbon Black Colorant (CAS 1333-86-4) Listed.

US. Massachusetts RTK - Substance List

2-pyrrolidone (CAS 616-45-5)

Carbon Black Colorant (CAS 1333-86-4)

US. New Jersey Worker and Community Right-to-Know Act

Not regulated.

US. Pennsylvania RTK - Hazardous Substances

2-pyrrolidone (CAS 616-45-5) Listed.

Carbon Black Colorant (CAS 1333-86-4) Listed.

US. Rhode Island RTK

Carbon Black Colorant (CAS 1333-86-4)

Regulatory information Contains components not listed in: Canada, Japan, Korea, New Zealand and Ontario

Other information Exposure Limits (See Section 8): Executive regulation of Minister of Labour and Social Policy dated Nov. 29, 2002 concerning the highest exposure limits and volume of factors harmful for health and environment at work (Official Journal of Laws no 217/2002 item 1833 with further amendments).
VOC content (less water, less exempt compounds) = < 884 g/L (U.S. requirement, not for emissions)
VOC data based on formulation (Organic compounds minus solids)

16. Other Information

Other information This MSDS was prepared in accordance with USA OSHA Hazard Communications regulation (29 CFR 1910.1200).

HMIS® ratings Health: 1
Flammability: 1
Physical hazard: 0

NFPA ratings Health: 1
Flammability: 1
Instability: 0

Disclaimer This Safety Data Sheet document is provided without charge to customers of Hewlett-Packard Company. Data is the most current known to Hewlett-Packard Company at the time of preparation of this document and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in Section 1 above and may not meet regulatory requirements in other countries.

Issue date 10-Mar-2013

This data sheet contains changes from the previous version in section(s): Product and Company Identification: Alternate Trade Names
Composition / Information on Ingredients: Disclosure Overrides
9. Physical & Chemical Properties: Other information
15. Regulatory Information: Other information

Manufacturer information Hewlett-Packard Company
3000 Hanover Street
Palo Alto, California 94304-1112 US
(Direct) 1-503-494-7199
(Toll-free within the US) 1-800-457-4209

Explanation of abbreviations

ACGIH	American Conference of Governmental Industrial Hygienists
CAS	Chemical Abstracts Service
CERCLA	Comprehensive Environmental Response Compensation and Liability Act
CFR	Code of Federal Regulations
COC	Cleveland Open Cup
DOT	Department of Transportation
EPCRA	Emergency Planning and Community Right-to-Know Act (aka SARA)
IARC	International Agency for Research on Cancer
NIOSH	National Institute for Occupational Safety and Health
NTP	National Toxicology Program
OSHA	Occupational Safety and Health Administration
PEL	Permissible Exposure Limit
RCRA	Resource Conservation and Recovery Act
REC	Recommended
REL	Recommended Exposure Limit
SARA	Superfund Amendments and Reauthorization Act of 1986
STEL	Short-Term Exposure Limit
TCLP	Toxicity Characteristics Leaching Procedure
TLV	Threshold Limit Value
TSCA	Toxic Substances Control Act
VOC	Volatile Organic Compounds