

## \*SAFETY DATA SHEET\*

---

### SECTION 1: PRODUCT AND COMPANY IDENTIFICATION

---

**PRODUCT NAME:** McKesson Disposable Germicidal Surface Wipes  
**MFR #:** 50-66160, 50-66170

**DISTRIBUTED BY:** McKesson Medical-Surgical Inc.  
9954 Mayland Drive, Suite 4000  
Richmond, Virginia 23233

**INFORMATION LINE:** 1-800-777-4908  
Monday – Friday 8:00 a.m. – 6:00 p.m. EST

**EMERGENCY PHONE:** 1-800-451-8346 (3E Company)  
Day or night

**PRODUCT DESCRIPTION:** McKesson Disposable Germicidal Surface Wipes

---

### SECTION 2: HAZARDS IDENTIFICATION

---

**ROUTES OF ENTRY:** N/A

**POTENTIAL HEALTH EFFECTS:**

**EYES:** If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

**SKIN:** If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

**INGESTION:** N/A

**INHALATION:** If inhaled: Remove person to fresh air and keep comfortable for breathing. Call a poison center/doctor if you feel unwell.

**ACUTE HEALTH HAZARDS:** N/A

**CHRONIC HEALTH HAZARDS:** N/A

**MEDICAL CONDITIONS GENERALLY AGGRAVATED BY EXPOSURE:** N/A

---

**CARCINOGENICITY**

**OSHA:** N/A

**ACGIH:** N/A

**NTP:** N/A

**IARC:** N/A

**OTHER:** N/A

**SECTION 2 NOTES:**

**Classification**

Hazard Class	Category
Flammable liquid	3
Eye irritation	2A
Specific target organ toxicity (single exposure)	3

## Label Elements

Hazard Symbols

**Signal Word:** Warning**Hazard Statement(s):** Flammable liquid and vapor. Causes serious eye irritation. May cause drowsiness or dizziness**Precautionary Statements:** Keep away from heat/spark/open flames/hot surfaces. No smoking. Keep container tightly closed. Avoid breathing dust/fume/gas/mist/vapors/spray. Wash hands thoroughly after handling. Use only outdoors in well ventilated area. Wear protective gloves/eye protection/face protection.**Other Hazards:** 1% of the mixture consists of ingredients(s) of unknown acute toxicity.

---

### SECTION 3: COMPOSITION/INFORMATION OF INGREDIENTS

---

<u>INGREDIENT</u>	<u>CAS NO.</u>	<u>%</u>	<u>Exposure Limits</u>
Isopropyl Alcohol	67-63-0	10-30	N/A
2-butoxyethanol	111-76-2	1-5	N/A

**SECTION 3 NOTES:**

The exact percentage (concentration) of composition has been withheld as a trade secret in accordance with paragraph (i) of §1910.1200.

---

### SECTION 4: FIRST-AID MEASURES

---

- EYES:** In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. If easy to do, remove contact lenses, if worn. If irritation persists, get medical attention.
- SKIN:** In case of contact, immediately flush skin with plenty of water. Remove contaminated clothing and shoes. Wash clothing before reuse. Call a physician if irritation develops and persists.
- INGESTION:** May result in obstruction and irritation if ingested. If large amounts of liquid are swallowed seek medical attention immediately.
- INHALATION:** Not a normal route of exposure. If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER/doctor/physician if you feel unwell.

**NOTES TO PHYSICIANS OR FIRST AID PROVIDERS:** Treat symptomatically.**SECTION 4 NOTES:****Most Important Symptoms and Effects (Acute and Delayed)****Inhalation:** Vapors may cause drowsiness and dizziness. May cause respiratory tract irritation.**Eye Contact:** Causes serious eye irritation. Symptoms may include discomfort or pain, excess blinking and tear production, with marked redness and swelling of the conjunctiva.**Ingestion:** May be harmful if swallowed. May cause stomach distress, nausea or vomiting.**Skin:** May cause skin irritation. Symptoms may include redness, drying, defatting and cracking of the skin.

---

### SECTION 5: FIRE-FIGHTING MEASURES

---

**FLAMMABLE LIMITS IN AIR, UPPER:** Flammable

(% BY VOLUME) LOWER: N/A

FLASH POINT: 30 °C (86 °F) TCC (liquid)  
METHOD USED: N/A

AUTOIGNITION TEMPERATURE: N/A

**NFPA HAZARD CLASSIFICATION**

HEALTH: N/A FLAMMABILITY: N/A REACTIVITY: N/A OTHER: N/A

**HMS HAZARD CLASSIFICATION**

HEALTH: N/A FLAMMABILITY: N/A REACTIVITY: N/A PERSONAL: N/A

EXTINGUISHING MEDIA: Water fog, carbon dioxide, dry chemical or alcohol foam.

SPECIAL FIRE FIGHTING PROCEDURES: Keep upwind of fire. Wear full fire fighting turn-out gear (full Bunker gear) and respiratory protection (SCBA).

UNUSUAL FIRE AND EXPLOSION HAZARDS: N/A

HAZARDOUS DECOMPOSITION PRODUCTS: N/A

SECTION 5 NOTES: Liquid absorbed onto wipe is flammable. Product will burn if exposed to fire. Products of combustion include but are not limited to: oxides of carbon.

---

## SECTION 6: ACCIDENTAL RELEASE MEASURES

---

ACCIDENTAL RELEASE MEASURES: N/A

**SECTION 6 NOTES:**

**Personal Precautions, Protective Equipment, and Emergency Procedures**

**Personal Precautions:** Use personal protection recommended in Section 8. Isolate the hazard area and deny entry to unnecessary and unprotected personnel. Eliminate sources of ignition.

**Environmental Precautions:** See Section 12 for ecological information.

**Methods and Material for Containment and Cleaning Up**

Pick up large pieces, then place in suitable container. Do not flush to sewer or allow entering waterways. Use appropriate Personal Protective Equipment (PPE). Scoop up material and place in a disposal container. Provide ventilation.

---

## SECTION 7: HANDLING AND STORAGE

---

**HANDLING:** Keep away from sources of ignition. No smoking. Take precautionary measures against static discharge. Avoid contact with skin and eyes. Avoid breathing dust/fume/gas/mist/vapors/spray. Do not swallow. Handle and open container with care. When using do not eat, drink or smoke. Use only non-sparking tools. Use only outdoors or in well-ventilated area.

**STORAGE:** Keep locked up and out of the reach of children. Keep container tightly closed and in a well-ventilated place. Keep cool.

**OTHER PRECAUTIONS:** Incompatible materials: oxidizers.

**SECTION 7 NOTES:** N/A

---

## SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

---

**ENGINEERING CONTROLS:** N/A

**VENTILATION:** Use ventilation adequate to keep exposures (airborne levels of dust, fume, vapor, etc.) below recommended exposure limits.

**RESPIRATORY PROTECTION:** In case of insufficient ventilation, wear suitable respiratory equipment. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.

**EYE PROTECTION:** Safety glasses are recommended when using products

**SKIN PROTECTION:** Wear suitable protective clothing.

**OTHER PROTECTIVE CLOTHING OR EQUIPMENT:** N/A

**WORK HYGIENIC PRACTICES:** Handle in accordance with good industrial hygiene and safety practice. Do not eat, smoke or drink where material is handled, processed or stored. Wash hands carefully before eating or smoking. Handle according to established industrial hygiene and safety practices.

**EXPOSURE GUIDELINES:**

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Isopropyl alcohol (67-63-0)	200 ppm	980 mg/m <sup>3</sup>	Not available
2-Butoxyethanol (111-76-2)	20 ppm	240 mg/m <sup>3</sup>	Not available

**SECTION 8 NOTES:** N/A

---

## SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

---

**APPEARANCE & ODOR:** Wipes saturated with clear liquid. Alcohol-like.

**PHYSICAL STATE:**

**pH AS SUPPLIED:** 7.6 (liquid)

**pH (Other):** N/A

**BOILING POINT:** N/A

**MELTING POINT:** N/A

**FREEZING POINT:** N/A

**VAPOR PRESSURE (mmHg):** N/A

@ N/A

**DENSITY (lb/gal):** 0.97 (liquid)

@ N/A

**SPECIFIC GRAVITY (H<sub>2</sub>O = 1):** N/A

@ N/A

**EVAPORATION RATE:** N/A

**BASIS (=1):** N/A

**SOLUBILITY IN WATER:** N/A

**PERCENT SOLIDS BY WEIGHT:** N/A

**PERCENT VOLATILE:** N/A

BY WT/ N/A BY VOL @ N/A

**VOLATILE ORGANIC COMPOUNDS (VOC):** N/A

**WITH WATER:** N/A **LBS/GAL**

**WITHOUT WATER:** N/A **LBS/GAL**

**MOLECULAR WEIGHT:** N/A

**VISCOSITY:** N/A

**SECTION 9 NOTES:** N/A

**SECTION 10: STABILITY AND REACTIVITY**

**STABLE**

**UNSTABLE**

**STABILITY:** Stable under recommended storage conditions. May form flammable/explosive vapor-air mixture.

**CONDITIONS TO AVOID (STABILITY):** Not reactive under normal conditions.

**INCOMPATIBILITY (MATERIAL TO AVOID):** Oxidizers.

**HAZARDOUS DECOMPOSITION OR BY-PRODUCTS:** May include and are not limited to: oxides of carbon.

**HAZARDOUS POLYMERIZATION:**

**CONDITIONS TO AVOID (POLYMERIZATION):** Heat. Incompatible materials. Sources of ignition.

**SECTION 10 NOTES:** N/A

**SECTION 11: TOXICOLOGICAL INFORMATION**

**TOXICOLOGICAL INFORMATION:**

**Information on Toxicological Effects**

**Likely Routes of Exposure:** Inhalation, skin contact, eye contact, ingestion

**Information Related to Physical, Chemical, and Toxicological Effects**

See section 4 of this SDS.

**Delayed and Immediate Effects as well as Chronic Effects from Short and Long-term Exposure**

**Carcinogenicity:** NTP: No IARC: No OSHA: No

**Numerical Measures of Toxicity**

Product	
ATE (oral)	>2000 mg/kg, rat
ATE (dermal)	>2000 mg/kg, rabbit
ATE (inhalation)	>20 mg/l/4h

**Component Information:**

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Isopropyl alcohol (67-63-0)	4396 mg/kg (rat)	12800 mg/kg (rat)	72.6 mg/l/4h (rat)
2-Butoxyethanol (111-76-2)	470 mg/kg (rat)	Not available	450 ppm/4h (rat)

**SECTION 11 NOTES:** N/A

**SECTION 12: ECOLOGICAL INFORMATION**

**ECOLOGICAL INFORMATION:**

**Ecotoxicity:** Not established.

**Persistence and degradability:** Not established.

**Bioaccumulative potential:** Not established.

**Mobility in soil:** No additional information available.

**Other adverse effects:** No additional information available.

**SECTION 12 NOTES:** N/A

---

**SECTION 13: DISPOSAL CONSIDERATIONS**

---

**WASTE DISPOSAL METHOD:** Dispose of the product and container in accordance with all applicable local, state and federal regulations. The generation of waste should be avoided or minimized whenever possible. Handle empty containers with care because residual vapors are flammable.

**RCRA HAZARD CLASS:** N/A

**SECTION 13 NOTES:** N/A

---

**SECTION 14: TRANSPORT INFORMATION**

---

**U.S. DEPARTMENT OF TRANSPORTATION**

**PROPER SHIPPING NAME:** N/A

**HAZARD CLASS:** N/A

**DOT SHIPPING ID NUMBER:** N/A

**DOT PACKING GROUP:** N/A

**DOT HAZARD CLASS:** N/A

**DOT LABEL STATEMENT:** N/A

**WATER TRANSPORTATION**

**PROPER SHIPPING NAME:** N/A

**HAZARD CLASS:** N/A

**ID NUMBER:** N/A

**PACKING GROUP:** N/A

**LABEL STATEMENTS:** N/A

**AIR TRANSPORTATION**

**PROPER SHIPPING NAME:** N/A

**HAZARD CLASS:** N/A

**ID NUMBER:** N/A

**PACKING GROUP:** N/A

**LABEL STATEMENTS:** N/A

**SECTION 14 NOTES:** Classification changes based on quantity, packaging and method of shipment. See current shipping paper for most up to date shipping information.

---

**SECTION 15: REGULATORY INFORMATION**

---

**U.S. FEDERAL REGULATIONS**

**TSCA (TOXIC SUBSTANCE CONTROL ACT):** N/A

**CERCLA (COMPREHENSIVE RESPONSE COMPENSATION, AND LIABILITY ACT):** N/A

**SARA 311/312 HAZARD CATEGORIES:** N/A

**SARA 313 REPORTABLE INGREDIENTS:** This product contains chemicals which are subject to the reporting requirements of the Superfund Amendments and Reauthorization Act and Title 40 of the Code of Federal Regulations, Part 372. Chemicals: Isopropanol and Butoxyethanol.

**STATE REGULATIONS:** N/A

**INTERNATIONAL REGULATIONS:** N/A

**SECTION 15 NOTES:** N/A

---

**SECTION 16: OTHER INFORMATION**

---

**OTHER INFORMATION:** N/A

**PREPARATION INFORMATION:** N/A



**SDS DATE: 10/26/2015**

**DISCLAIMER:** This information relates onto to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. The information and recommendations contained herein are to the best of the manufacturer's knowledge and belief accurate and reliable as of the date indicated. No representation warranty or guarantee, however, is made with regards to accuracy, reliability or completeness. Conditions of use of the material are under the control of the user; therefore, it is the user's responsibility to satisfy itself as to the suitability and completeness of such information for its own particular use. Appropriate warnings and safe-handling procedures should be provided to handlers and users.